

Network Science Cheatsheet



Made by
Remy Cazabet


Network Science - Introduction

Networks: Graph notation

Graph notation: $G = (V, E)$
 V set of vertices/nodes.
 E set of edges/links.
 $u \in V$ a node.
 $(u, v) \in E$ an edge.

Network - Graph notation

Graph



Graph notation

$G = (V, E)$
 $V = \{1, 2, 3, 4, 5, 6\}$
 $E = \{(1, 2), (1, 6), (1, 5), (2, 4), (2, 3), (2, 5), (2, 6), (6, 5), (5, 5), (4, 3)\}$

Types of networks

Simple graph: Edges can only exist or not exist between each pair of node, and there are no self-loops, i.e., an edge connecting a node to itself.

Directed graph: Edges have a direction: $(u, v) \in V$ does not imply $(v, u) \in V$

Weighted graph: A weight is associated to every edge.

Other types of graphs (multigraphs, multipartite, hypergraphs, etc.) are introduced in sheet ??

Counting nodes and edges

N/n size: number of nodes $|V|$.
 L/m number of edges $|E|$
 L_{max} Maximum number of links

$$\text{Undirected network: } \binom{N}{2} = N(N-1)/2$$

$$\text{Directed network: } \binom{N}{2} = N(N-1)$$

Paths - Walks - Distance

Walk: Sequences of adjacent edges or nodes (e.g., **1.2.1.6.5** is a valid walk)

Path: a walk in which each node is distinct.

Path length: number of **edges** encountered in a path

Weighted Path length: Sum of the weights of edges on a path

Shortest path: The shortest path between nodes u, v is a path of minimal *path length*. Often it is not unique.

Weighted Shortest path: path of minimal *weighted path length*.

$\ell_{u,v}$: **Distance:** The distance between nodes u, v is the length of the shortest path

Network descriptors - Paths

ℓ_{max} **Diameter:** maximum *distance* between any pair of nodes.

$\langle \ell \rangle$ **Average distance:**

$$\langle \ell \rangle = \frac{1}{n(n-1)} \sum_{i \neq j} d_{ij}$$

Node-Edge description

N_u	Neighbourhood of u , nodes sharing a link with u .
k_u	Degree of u , number of neighbors $ N_u $.
N_u^{out}	Successors of u , nodes such as $(u, v) \in E$ in a directed graph
N_u^{in}	Predecessors of u , nodes such as $(v, u) \in E$ in a directed graph
k_u^{out}	Out-degree of u , number of outgoing edges $ N_u^{out} $.
k_u^{in}	In-degree of u , number of incoming edges $ N_u^{in} $.
$w_{u,v}$	Weight of edge (u, v) .
s_u	Strength of u , sum of weights of adjacent edges, $s_u = \sum_v w_{uv}$.

Network descriptors - Nodes/Edges

$\langle k \rangle$ **Average degree:** Real networks are sparse, i.e., typically $\langle k \rangle \ll n$. Increases slowly with network size, e.g., $d \sim \log(m)$

$$\langle k \rangle = \frac{2m}{n}$$

$d/d(G)$ **Density:** Fraction of pairs of nodes connected by an edge in G .


$$d = L/L_{max}$$

Degree distribution

The degree distribution is considered an important network property. They can follow two typical distributions:

- **Bell-curved** shaped (Normal/Poisson/Binomial)
- **Scale-free**, also called *long-tail* or *Power-law*

A Bell-curved distribution has a *typical scale*: as human height, it is centered on an average value. A Scale-free distribution has no typical scale: as human wealth, its average value is not representative, low values (degrees) are the most frequent, while a few very large values can be found (hubs, large degree nodes).



More details later.

Subgraphs

Subgraph $H(W)$ (induced subgraph): subset of nodes W of a graph $G = (V, E)$ and edges connecting them in G , i.e., subgraph $H(W) = (W, E')$, $W \subset V$, $(u, v) \in E' \iff u, v \in W \wedge (u, v) \in E$

Clique: subgraph with $d = 1$

Triangle: clique of size 3

Connected component: a subgraph in which any two vertices are connected to each other by paths, and which is connected to no additional vertices in the supergraph

Strongly Connected component: In directed networks, a subgraph in which any two vertices are connected to each other by paths

Weakly Connected component: In directed networks, a subgraph in which any two vertices are connected to each other by paths if we disregard directions

Triangles counting

δ_u - **Triads of u :** number of triangles containing node u

Δ - **Number of triangles in the graph** total number of triangles in the graph, $\Delta = \frac{1}{3} \sum_{u \in V} \delta_u$.

Each **triangle** in the graph is counted as a **triad** once by each of its nodes.

δ_u^{\max} - **Triad potential of u :** maximum number of triangles that could exist around node u , given its degree: $\delta_u^{\max} = \tau(u) = \binom{k_i}{2}$

Δ^{\max} - **Triangle potential of G :** maximum number of triangles that could exist in the graph, given its degree distribution: $\Delta^{\max} = \frac{1}{3} \sum_{u \in V} \delta_u^{\max}(u)$

Clustering Coefficients - Triadic closure

The clustering coefficient is a measure of the triadic closure of a network of a node neighborhood. The triadic closure is a notion coming from social network analysis, often summarized by the aphorism *The friends of my friends are my friends*.

C_u - **Node clustering coefficient:** density of the subgraph induced by the neighborhood of u , $C_u = d(H(N_u))$. Also interpreted as the fraction of all possible triangles in N_u that exist, $\frac{\delta_u}{\delta_u^{\max}}$

$\langle C \rangle$ - **Average clustering coefficient:** Average clustering coefficient of all nodes in the graph, $\bar{C} = \frac{1}{N} \sum_{u \in V} C_u$.

Be careful when interpreting this value, since all nodes contributes equally, irrespectively of their degree, and that low degree nodes tend to be much more frequent than hubs, and their C value is very sensitive, i.e., for a node u of degree 2, $C_u \in [0, 1]$, while nodes of higher degrees tend to have more contrasted scores.

C^g - **Global clustering coefficient:** Fraction of all possible triangles in the graph that do exist, $C^g = \frac{\Delta}{\Delta^{\max}}$

Small World Network

A network is said to have the **small world** property when it has some structural properties^a. The notion is usually not quantitatively defined, but two properties are required:

- Average distance must be short, i.e., $\langle \ell \rangle \approx \log(N)$
- Clustering coefficient must be high, i.e., much larger than in a random network, e.g., $C^g \gg d$, with d the network density

This property is considered characteristic of *real* networks, as opposed to random networks. It is believed to be associated to particular properties (robustness to failures, efficient information flow, etc.), and to be the consequence of emergent mechanisms typical of *complex systems*.

Be careful: in some contexts, *small world network* can be used for a network that has a small Average distance, without considering its Clustering Coefficient.

^aWatts and Strogatz 1998.


Cores and Shells

Many real networks are known to have a **core-periphery** structure, i.e., there is a densely connected core at its center and a more peripheral zone in which nodes are loosely connected between them and to the core.

k-core: The k -core (core of order k) of $G(V, E)$ is the largest subgraph $H(C)$ such as all nodes have at least a degree k , i.e., $\forall u \in C, k_u^H \leq k$, with k_u^H the degree of node u in subgraph H .

coreness: A vertex u has coreness k if it belongs to the k -core but not to the $k + 1$ -core.

c-shell: all vertices whose coreness is exactly c .



Vocabulary

Singleton: node with a degree $k = 0$

Hub: node u with $k_u \gg \langle k \rangle$

Bridge: Edge which, when removed, split a connected component in two. **Self-loop:** Edge which connects a node to itself. **Stub:** A stub is an half edge, i.e., edge (u, v) has a stub connected to u and another connected to v .

Complete network: $L = L_{max}$

Sparse network: $d \ll 1, L \ll L_{max}$

Connected Graph: Graph composed of a single connected component

Going Further

Books on network science: (Menczer, Fortunato, and Davis 2020)(Barabási et al. 2016)

References

- [1] Albert-László Barabási et al. *Network science*. Cambridge university press, 2016.
- [2] Filippo Menczer, Santo Fortunato, and Clayton A Davis. *A First Course in Network Science*. Cambridge University Press, 2020.
- [3] Duncan J Watts and Steven H Strogatz. "Collective dynamics of 'small-world' networks". In: *nature* 393.6684 (1998), pp. 440–442.