

# Network Science Cheatsheet



Made by  
Remy Cazabet

## 4 Scale-Free networks

### Scale-Free: Definition

A network is said to be **Scale-Free** when its degree distribution follows a Power-Law distribution, or can be approximated by a Power-Law distribution.

### Power-Law (PL)- Approximate Distribution

A **Power-Law distribution** is defined as follows:

$$P(k) \sim k^{-\alpha} = \frac{1}{k^\alpha}$$

$\alpha$  is called the *exponent* of the distribution. Intuitively, the more  $\alpha$  is large, the more large values are rare. For instance, with  $\alpha = 0$ , it corresponds to a uniform distribution (any degree is equivalently probable). With  $\alpha = 1$ , the probability of a node taken at random to have degree  $k$  is  $\sim \frac{1}{k}$ . Usually, a distribution is considered scale free when  $2 \leq \alpha \leq 3$ , as we will see.

### PL - Boundaries

In most settings, the Power-Law degree distribution exists only for a certain range of degrees.

This makes sense in real networks: few people have 0 or 1 social contacts, for instance, few websites have no incoming nor outgoing hypertext links, or we wouldn't even be aware of them. Thus there is a **lower bound**  $k_{min}$  from which the distribution exists.

Similarly, real networks represent entities of the real world, which are in finite numbers, therefore the number of elements itself is a limit. But in many situations, even lower thresholds exist: Social networks often impose a limit to the number of connections to avoid spammers, time and space also typically impose limits to what is possible or not in a network. An **upper bound**  $k_{max}$  can be used to limit the distribution.

## Power-Law - Exact Distribution

For a distribution to be properly defined, the sum of all probability must be equal to one, we therefore add a normalization constant  $C$  to ensure this property.

$$\int P(k) = 1 = \int C k^{-\alpha} = C \int k^{-\alpha}$$

From which we can define  $C$ :

$$C = \frac{1}{\int_{k_{min}}^{\infty} k^{-\alpha} dk} = (\alpha - 1) k_{min}^{\alpha-1}$$


And finally, the exact definition of the Power-Law degree distribution with lower bound:

$$P(k) = (\alpha - 1) k_{min}^{\alpha-1} k^{-\alpha} P(k) = \frac{\alpha - 1}{k_{min}} \left( \frac{k}{k_{min}} \right)^{-\alpha}$$


## Power-Law - Plotting

A famous property of the Power-Law distribution is that it looks like a line when plotted in a log-log plot, i.e., a plot in which the x-axis (degrees) and the y-axis (frequency of degrees) are represented using a logarithmic scale.


Power-Law distributions in linear scale for degrees [1-10] (100 000 samples)



Power-Law distributions in linear scale for degrees [1-100000] (100 000 samples). The distribution is so heterogeneous that it is not readable.




Power-Law distributions in log-log scale for degrees [1-100000] (100 000 samples).




## Power-Law - Long tail

Compared with other well-known distributions such as Poisson or exponential distribution, a key difference is what is called the **long-tail** property: very large values are rare, but possible. We can observe this long tail by comparing with other distributions on log-log plots.

Comparing power-law with Poisson distributions



Comparing power-law with Exponential distributions



## SF networks - universality

Scale-Free networks are widely studied because they are considered to be very frequent in the real world. Some important papers discovered the existence of Power-Law degree distribution in a variety of large real networks, notably:

1. The World Wide Web (webpages) (Barabási and Albert [1999](#))
2. The internet (physical network) (M. Faloutsos, P. Faloutsos, and C. Faloutsos [1999](#))
3. Airline connections (Guimera and Amaral [2004](#))
4. Scientific collaborations (M. E. Newman [2001](#))
5. Romantic interactions (Liljeros et al. [2001](#))

It must be noted, however, that many real world networks **are not scale-free**. A typical counter-example is a road-network, in which nodes correspond to intersection and edges to roads: for practical reasons, intersections with large degrees do not make sense.

## Why is it called *scale free*

Because they have no (typical) scale!

It is defined in opposition to Poisson and other Bell-Shaped distributions, which are **centered around their average value**. Let's take a typical example: The height of humans follow a Bell-shaped distribution: the average height is 1.65m, and most humans are quite close to this value, there is a **typical scale** of human height. On the contrary, human wealth distribution follows approximately a power-law<sup>[1]</sup>: a few humans are extremely wealthy (Billions of \$), while more than half the world population posses less than 10 000\$. As a consequence, the average human wealth (70 000\$) is not at all representative of human wealth.

<sup>a</sup>[https://en.wikipedia.org/wiki/Distribution\\_of\\_wealth](https://en.wikipedia.org/wiki/Distribution_of_wealth)

## Central moments

The first two central moments of a distribution are the mean  $\langle k^1 \rangle$  and the variance  $\langle k^2 \rangle$ . They are defined as

$$\langle k^m \rangle = \int_{k_{\min}}^{\infty} k^m p(k) dk = (\alpha - 1) k_{\min}^{\alpha-1} \int_{k_{\min}}^{\infty} k^{-\alpha+m} dk$$

From this, we can conclude that **central moments are defined only if  $\alpha > m + 1$** , otherwise they diverge towards infinity, they are not properly defined. Thus:

1.  $\langle k^2 \rangle = \frac{\alpha-1}{\alpha-2} k_{\min}$ , **if and only if  $\alpha \geq 2$**
2.  $\langle k^3 \rangle = \frac{\alpha-1}{\alpha-3} k_{\min}^2$ , **if and only if  $\alpha \geq 3$**

## Divergence in practice

In practice, one can always compute the mean and variance of a provided, observed degree distribution. So what does it mean that they *diverge*?

The problem arises when we are not certain to observe the whole network. Usually, a large sample of a population has the same mean and variation than the whole population, and the largest the sample, the more precise the value.

But in a power law, moments are **dominated** by the largest values in the long tail: some rare values are *so large* that they shift the moments. So the more data we observe, the higher the moments.

## Divergence: consequences

The consequence of diverging moments is that **if the distribution follows a power law**, then if the exponent is below 2, you should now rely on the mean degree or the variance. If the exponent is between 2 and 3, you can (relatively) rely on the mean, but not on the variance. Be careful though, even if  $\alpha > 2$ , the mean converges slowly, i.e., you need a very large sample for your mean to be close to the real value.

## Fitting power laws

When confronted with a power law degree distribution, we might want to **fit** the distribution, i.e., to **find the exponent** of the distribution. A naive and simple way to do it is to plot the distribution on a log-log plot and to find the slope of the line, either graphically or through least-square regression on the log-transformed values of degrees and frequencies.

This however suffers from a strong bias: values in the tail are based on a few samples, and introduce noise.

The most appropriate method is to use Maximum Likelihood Estimation (MLE), taking into account min and max-boundaries, as described in<sup>[1]</sup>

<sup>a</sup>Goldstein, Morris, and Yen<sup>[2004]</sup>

## Exponent limits

In real networks, we consider that we should have  $\alpha \geq 2$ , because a lower exponent would mean that the distribution is so skewed that we expect to find nodes with a degree larger than the size of the network.

Furthermore, if the exponent is too large, large degree nodes becomes so rare, that the network would need to be enormous to observe such a node. For instance, with  $\alpha = 5$ , we need to observe  $N = 10^{12}$  nodes to expect to observe a single node of size 1000.

## Exponent and shortest-paths

Random networks with Poisson degree distribution already have a *short average distance*. However, it is possible to define classes of networks with even smaller average distance based on the exponent  $\alpha$ :

- $\alpha = 2$ : The biggest hub degree is of order  $\mathcal{O}(N)$ , thus most nodes are at distance 2. The average path length can be considered a small constant, independent of  $N$
- $2 < \alpha < 3$ : **Ultra Small World**:  $\langle \ell \rangle = \frac{\log \log N}{\log(\alpha-1)}$
- $\alpha = 3$ :  $\langle \ell \rangle = \frac{\log N}{\log \log N}$
- $\alpha > 3$ :  $\langle \ell \rangle = \log N$ , the network behaves approximately like an ER network.

## Scale-free network controversy

There is an on-going debate in the network science community over the prevalence of scale-free networks. For some authors<sup>[1]</sup> most real networks follow to some extent a power-law degree distribution, while, for some others, scale-free networks are rare<sup>[2]</sup>. The controversy has been studied<sup>[3]</sup> and can be interpreted as differences between scientific approaches: one popular among (some) physicists (*scale-freeness is the sign of a universal law*) and another one common among statisticians (*scale-freeness is an empirical characterization*).

<sup>a</sup>Barabási and Bonabeau<sup>[2003]</sup>

<sup>b</sup>Broido and Clauset<sup>[2019]</sup>

<sup>c</sup>Jacomy<sup>[2020]</sup>

## SF networks: what to do

Is your network Scale-Free? The first question you might ask yourself is: *why do you need to know?*

- If the goal is to characterize a network, then plotting the degree distribution might be more useful than fitting a power-law exponent to it
- If the goal is to show that the distribution is broad, significantly different from a bell-shaped distribution, then plotting the distribution might be enough
- If the goal is to show that the distribution is *approximately* a power-law, for instance because an algorithm complexity or a proof can be made for such cases, then fitting a line on a log-log plot and talking about *power-law-ish* might be enough
- If on the contrary it is scientifically important to argue that the network is, without doubts, a scale-free networks, then you need to be fully aware of the controversy and to position your work relatively to it.

# Network Science Cheatsheet



Made by  
Remy Cazabet

## 5 Random graphs

Many elements of this course are inspired by the excellent classes by Aaron Clauset, than can be found online:

<http://tuvalu.santafe.edu/~aaronc/courses/5352/>

### Synthetic networks usages

Using synthetic networks is essential in network science for several reasons. In particular, they allow to:

- Study some properties in a **controlled environment**. *What happens if we increase property X, while keeping all other properties constant?*
- Compare an observed network with a **randomized** version of it. *I observed property X in my data, is it something remarkable, or would I observe the same thing on a random network similar to my graph?*
- Explain a phenomenon. *Property X seems exceptional. It can be reproduced in random networks by simple mechanism Y.*
- Generate synthetic datasets, for instance to test the same algorithm on multiples variations of the same network.

### Synthetic networks types

There are three main types of synthetic networks:

- **Deterministic models** are instances of famous graphs or, more commonly, repeated regular patterns. e.g., *Caveman graph, grids, lattices*.
- **Generative models** assign to each pair of nodes a probability of having an edge according to their properties (degree, label, etc.). e.g., *Erdős Rényi, Configuration model, etc.*
- **Mechanistic models** create networks by following a set of rules, a process defined by an algorithm. e.g., *Preferential attachment, Forest fire, etc.*

### Regular lattices

Regular lattices are defined as repetition of the same pattern a given (potentially infinite) number of times. Nodes all have the same degree. The pattern can be in 1, 2 or more dimensions.

The **clustering coefficient** depends on the structure, it can be large if the structure is made of triangles, for instance. It is the same for all nodes (except potentially nodes at the boundaries).

The **average distance** grows quickly with  $n$ , if  $k \ll n$

### Erdős-Rényi (ER) model

The **Erdős-Rényi (ER)** model is the simplest random graph model. Assuming that we know the number of nodes and the number of edges, and no other information, then edges are simply put between randomly chosen pair of nodes.

ER models can be defined in two ways:

- in the  $G(n, L)$  formulation, the number of edges of the generated graph is set to exactly  $L$ , and thus  $L$  random pairs of nodes are chosen among the set of all existing node pairs (sharp constraint, micro-canonical ensemble).
- in the  $G(n, p)$  formulation, an edge is added between any set of node with a probability  $p$  (soft constraint, canonical ensemble).

Properties of both model are similar when the number of edges (defined by  $L$  or  $p$ ) is large.

### Random version of observed graph

When one wants to compare a real network with a **randomized** version of it (also called a **rewired** network), the usual way is not to start from the original network and to actually rewire it edge by edge, but instead to generate a new ER random graph keeping the same number of nodes and the same number of edges (or the same density) as the observed network. Properties of the observed network can then be compared with the generated network. Note that it does not make sense to compare the properties of any particular node in both networks, since nodes in the random graph have no identity. Note that in some applications, there is not need to actually generate a random graph: one can simply compare properties of the real network with theoretical properties of the random graph.

### Soft ER

In the soft ER, the number of edges is not known in advance. The distribution of the number of edges in the soft ER are described by the **binomial distribution**  $\mathbb{B}(L^{max}, p)$

From the known properties of the Binomial distribution, it can be shown that:

- The **expected number of edges** is  $\langle L \rangle = pL^{max}$ .
- The **variance of the number of edges** is  $\sigma^2 = L^{max} p(1 - p)$

### Binomial distribution

The **Binomial distribution**  $\mathbb{B}(N_b, p_b)$  is a discrete distribution which model the number of successes  $x$  in a sequence of  $N_b$  independent experiments with success probability  $p_b$ . For instance, it models how many times ( $x$ ) one will obtain a 6 (*success*) if they throw a dice  $N_b$  times and that the probability to obtain a 6 is  $\frac{1}{6}$ . It is defined as  $P(x) = \binom{N_b}{x} p_b^x (1 - p_b)^{N_b - x}$ .  $\binom{N}{x}$  is the binomial coefficient, describing the number of ways, disregarding order, that  $x$  elements can be chosen among  $N_b$ .

### ER: Degree distribution

Since each node has an independent probability to be connected with each other node, the degree distribution of the ER model is modeled as a binomial distribution  $\mathbb{B}(N - 1, p)$ , i.e., the probability to have a given degree knowing that we have a probability  $p$  to have a link with each of the other nodes in the graph. From the properties of the Binomial distribution, we know that:

- The **expected average degree** is  $\langle k \rangle = p(N - 1)$
- The **variance of the degree** is  $\sigma_k^2 = p(N - 1)(1 - p)$

We can note that the distribution becomes increasingly narrow as the network size increases, i.e., we are increasingly confident that the degree of a node is in the vicinity of  $\langle k \rangle$ :

$$\frac{\sigma_k}{\langle k \rangle} = \frac{1}{(N - 1)^{1/2}}$$

### ER: Approximation of degree distribution by a Poisson Distribution

When the number of nodes  $N$  is large and the average degree  $\langle k \rangle$  is small, the degree distribution can be approximated by a Poisson distribution. From the properties of Poisson distributions, we approximate that for a network with average degree  $\langle k \rangle$ :

- The **variance of the degree** is  $\sigma_k = \sqrt{\langle k \rangle}$

### Poisson distribution

The **Poisson distribution** (*Delta*) is a discrete distribution modeling the probability of observing exactly  $x$  occurrences of an event in a period of duration  $\Delta_t$  if this event occurs randomly and that there are in average  $\delta$  occurrences of it during a period  $\Delta_t$ . It is known that the Poisson distribution is a good approximation of the Binomial approximation when  $N_b$  is large and  $p_b$  is small, which is the case for sparse graphs. Working with the Poisson distribution is convenient because it depends only on a single parameter *Delta*.

### ER: Clustering Coefficient

The **Global Clustering Coefficient** of a network is defined as the fraction of closed triads among all triads. Since any edge  $(u, v)$  has a fix probability to exist  $p$  independently of the existence of any other edge in the network, the probability of having edge  $(a, c) \in E$  for a triad  $[a, b, c]$  such as  $(a, b), (b, c) \in E$  is  $p$ .

Thus, the clustering coefficient of an ER graph is  $C^g = p$ . Since we know that most real networks are sparse,  $p$  is small, thus  $C^g$  is small. A similar reasoning can be used to show that the average clustering coefficient  $\langle C \rangle$  is small too.

## ER: Average Distance

We can intuitively estimate the order of the **Average Distance** of an ER random graph as follows:

We know that the clustering coefficient of an ER graph is small. Therefore, we can approximate the graph as having a tree-like structure. As a consequence, the number of nodes located at distance  $d$  of a node  $u$  increases as  $\langle k \rangle^d$ . From this approximation, the relation between distance an number of nodes is  $N = \langle k \rangle^d$  hops, thus the order of  $\ell$  is  $\log_{\langle k \rangle} n = \frac{\log N}{\log \langle k \rangle}$ .


We can thus say that the order of the average distance and the diameter of a sparse ER graph relatively to its size is  $\mathcal{O}(\log N)$ , and thus that: **ER graphs have a short average distance.**

### Order of magnitude

The notation  $\mathcal{O}$  is used to represent the **order of magnitude** of a value. It roughly indicates how this value is related to another one, ignoring any constant, for instance,  $\mathcal{O}(x) = \mathcal{O}(10x) = \mathcal{O}(x/10)$ . Typical orders of magnitude are  $\mathcal{O}(\log x)$ ,  $\mathcal{O}(x)$ ,  $\mathcal{O}(x^2)$  and  $\mathcal{O}(2^x)$ .

## ER: Largest connected component

The largest connected component of a graph is a way to measure its connectivity. On random networks, the relation between the density (or average degree) of a graph and the size of its largest connected component is known to undergo a *phase transition* phenomenon, i.e., a rapid change when a threshold is crossed. More precisely, as long as  $\langle k \rangle < 1$ , several connected components of similar sizes exist in the network, while, when  $\langle k \rangle > 1$ , the graph has a single *giant component* with high probability.



An intuitive way to understand this phenomenon is to use the same observation of the graph being tree-like as previously. Since the number of nodes  $N$  that can be reached after  $d$  hops can be estimated to grow as  $\langle k \rangle^d$ , a value of  $\langle k \rangle < 1$  leads to an impossibility to reach all nodes even for a large  $d$ , while  $\langle k \rangle > 1$  leads to arbitrarily large  $N$  for long enough  $d$ . Proper demonstration and more details can be found in the original paper<sup>9</sup>.

You can explore this property using this interactive *explorable*: <https://www.complexity-explorables.org/explorables/the-blob/>

<sup>9</sup>Erdős and Rényi 1960

## Configuration Model (CM)

The **Configuration Model** is another classic random graph model in which the degree of each node –or the degree distribution– is preserved. In general terms, a configuration model is defined by the number of nodes in the graph, the number (or probability) of edges, and a distribution of degrees of nodes.

This degree distribution can either be chosen *a priori*, for instance following a *Poisson* or a *Power-law* distribution, or by taking the observed distribution of a real network we would like to obtain a randomized-version of.

Note that in the later case, nodes can be considered to retain their identity: one can compare the local properties of the node of highest degree between the two graphs, for instance.

## Why the configuration model

For many real graphs, nodes represent real entities, and the degree of those nodes is due to an intrinsic property of those nodes, which is known in advance and should be taken into account. For instance, let's consider a network representing flight connections between airports: each node represents an airport, and there is an edge between two airports if a direct flight exist between them. *JFK* international airport in New-York will likely be a Hub in this network, having a very large degree. This large degree is a consequence of the properties of the city it belongs to: large population, touristic attraction, etc. So, *if connections between airports were random*, it could nevertheless be relevant to keep the degree of this node.

Furthermore, the degree distribution itself is also a characteristic of the network: the fact that hubs *do exist* in the network change its properties, compared with a network in which such nodes do not exist.

## Approximate/Soft Configuration model

In the approximate version of the Configuration model, each pair of node is connected by an edge with a given probability, which depends on their **objective degrees**.

More precisely, the probability of having an edge  $(i, j)$  is defined as  $p_{uv} = \frac{k_u k_v}{2L}$ . Note that this is a well defined probability only if  $\max(k_u)^2 < 2m$ , otherwise it can be higher than 1.  $p_{uv}$  should therefore rather be understood as the *expected number of edges* in a multigraph.


Intuitively, this definition can be understood as follows: each node  $u$  has  $k_u$  stubs. The total number of stubs in the graph is  $2L$ . Knowing that node  $v$  has  $k_v$  stubs, the probability for each stub of  $u$  to connect to a stub of  $v$  is

$\frac{k_v}{2L}$ . Note that this model is defined such as self-loops can exist.

## Rewired exact configuration model

When the objective of a configuration model is to obtain a random version of an observed graph, a common approach is to fix the exact degree of each node, and to connect *stubs* randomly. An efficient way to do so is to use the following algorithm:

- Create a list  $s$  such as it contains  $k_u$  times the index of node  $u$
- Randomize  $s$
- For each  $i$  in  $[0, L]$ , create an edge between nodes of index  $s_{2i}$  and  $s_{2i+1}$ .



Note that this method can create self-loops and multiple links between the same nodes, even if the original network was a *simple graph*. However, the number of multiple links and self-links decreases when the number of nodes increases, for sparse graphs. The probability of an edge to exist between two nodes depend on their degree, and is the same as in the soft CM.

## CM: Friendship paradox

An interesting property of the Configuration Model with heterogeneous degree distribution arises when we study the **average degree of random neighbors**. Let's call  $p_k$  the probability to pick a node of degree  $k$  when we pick a node at random. This probability represents the *degree distribution* chosen for the configuration model. Now, if we choose one node at random, and then pick one of its neighbors at random, what is  $p_{neighbor, k}$ , the degree distribution of *random neighbors*? It is different, because randoms with a higher degree have, by definition, a higher probability of being chosen. More formally,


$$p_{neighbor, k} = \frac{k}{2m} n p_k = \frac{k p_k}{\langle k \rangle}$$

because  $n p_k$  is the number of nodes of degree  $k$  in the graph, and  $\frac{k}{2m}$  is the probability to pick at random a *stub* of a particular node of degree  $k$  among all stubs.

We can now compute the **average degree of neighbors** of a node chosen at random, it is:

$$\langle k_{neighbor} \rangle = \sum_k k p_{neighbor, k} = \frac{\langle k^2 \rangle}{\langle k \rangle}$$

Thus if all degrees are the same (*homogeneous*),  $\langle k_{neighbor} \rangle = \langle k \rangle$ , but if it is **heterogeneous**,  $\langle k_{neighbor} \rangle > \langle k \rangle$  due to the comparatively larger influence of high degrees.





## CM: Clustering Coefficient

The clustering coefficient of the configuration model can also be studied theoretically. Its derivation is beyond the scope of this class and can be found in the literature [1]. Intuitively, we can use the same reasoning as for the ER model: the probability of having edge  $(a, c) \in E$  for a triad  $[a, b, c]$  such as  $(a, b), (b, c) \in E$  is  $\frac{k_a k_c}{2L}$ . However, the probability of observing  $(a, b)$  and  $(b, c)$  and thus to have such a triad also depends on  $k_a, k_b, k_c$ . In the end, the clustering coefficient is

$$C = \frac{1}{L} \frac{[\langle k^2 \rangle - \langle k \rangle]^2}{\langle k \rangle^3}$$

where  $\langle k^2 \rangle$  correspond to the expected variance (second moment) of the degree.

Since the right part of the equation is a constant depending only on the average degree, the order of the clustering coefficient is  $\mathcal{O}(1/L)$ , and thus small for large graphs. This is true as long as  $\langle k^2 \rangle$  is definite, which might not be the case if the degree distribution is a power law.

^M. Newman [2018]

## CM: Average distance

We use the same logic as for the ER model of the graph being locally tree-like due to the low Clustering Coefficient to show intuitively that the average distance is short. This property is verified experimentally.

Examples of differences in Clustering and average path length for a few real graphs, compared with randomized versions of it.

graph	$N$	$L$	$k$	$C_g$	$\langle \ell \rangle$	ER- $C_g$	ER- $\langle \ell \rangle$	CM- $C_g$	CM- $\langle \ell \rangle$
karate	34	77	4.53	<b>0.26</b>	2.42	0.14	2.42	0.14	2.55
football	115	613	10.66	<b>0.41</b>	2.51	0.10	2.25	0.07	2.28
wiki-science	687	6523	18.99	<b>0.47</b>	3.43	0.03	2.55	0.08	2.65
euroroad	1174	1417	2.41	0.03	<b>18.40</b>	0.00	7.66	0.00	9.55

## Differences btw. Real & Random networks

When comparing real networks to ER and CM networks of similar properties, we observe that they seem to disagree on one of two key properties: on real graphs, usually, either the graph has a low clustering coefficient and a large average distance, or the opposite. On the contrary, random networks always have both a low clustering coefficient and a short average distance. Small world phenomenon.


## Watts-Strogatz (WS) Model

The Watts-Strogatz model was introduced [2] to show how a simple phenomenon could create networks having both a large clustering coefficient and a short average distance.

The model has 3 parameters:

- $N$ : number of nodes
- $K$ : initial number of neighbors
- $p$ : rewiring probability

The network is created following a 2-step processes: first  $N$  nodes are disposed on a ring, and each node is connected to its  $K$  closest neighbors. Then each edge is replaced by a random edge with probability  $p$ . It can be interpreted as a network combining the properties of a (1-dimensional) regular lattice and of an ER network.




^Watts and Strogatz [1998]

## WS - Small World Regime

The WS model properties vary according to the value of  $p$ : if  $p$  is too small, the network has properties similar to a regular lattice, and if  $p$  is too large, properties of an ER graph.

We can observe this transition by comparing how the Clustering (C) and average distance (L) change when varying  $p$ , compared with the network when  $p = 0$ , i.e., a regular lattice.



## WS - Clustering

Properties of the WS model are not as simple to study theoretically as previous random graphs, so most details are not presented here. It can be shown however, that the global clustering coefficient can be approximated by:

$$C^g = \frac{3(K-2)}{4(K-1) + 8Kp + 4Kp^2}$$

which is independent of  $N$ , thus can be large even for large graphs.

## WS - Average Path Length

The average path length of the WS model has been studied through approximations and numerical simulation [3] and can be shown to become small quickly with the increase in  $p$ .

^M. E. Newman [2000]

## WS - Degree distribution

Without entering into details, it can be shown the the degree distribution range from a fixed degree for all nodes to a Poisson distribution, since each rewired edge is decreasing the degree of some nodes and increasing the degree of some others in a random way.

## Barabási-Albert (BA) Model

The Barabási-Albert model of random graphs was introduced [4] to illustrate how a simple mechanism could explain a common property of real graphs, the power-law degree distribution. This mechanism is thought to somewhat mimic what is happening in real life, at least for some networks. It is often called preferential attachment, and mimic the rich get richer phenomena: nodes that already have a large degree are more attractive, and thus are more likely to become connected with other nodes creating links.

^Barabási and Albert [1999]

## BA - Preferential attachment

The preferential attachment process has two parameters, the number of edges to create at each step  $m$  and the initial number of nodes  $m_0$ , with  $m \leq m_0$ . It is defined by the following iterative process:

- Start with a connected graph with  $m_0$  nodes
- At each step, add a new node and  $m$  links connecting it to  $m$  other nodes chosen randomly proportionally to their degree, i.e., with probability  $p_i = \frac{k_i}{\sum_j k_j}$

## BA - Degree distribution

The degree distribution created by the preferential attachment mechanism is a power law of exponent  $\alpha = 3$ . The exponent of the distribution does not depend on parameters  $m$  and  $m_0$ . The degree exponent is stationary in time, i.e., it stays the same while we add new nodes and edges.

Nodes degree increase with time: the earlier a node was added, the larger its degree tend to be. More generally, degrees increase as power-law of exponent  $\alpha = 1/2$

## BA - Average Path Length

Networks generated by the BA process have a power-law degree distribution of exponent  $\alpha = 3$ . It is known that such networks have a short average path length, more formally:

$$\langle \ell \rangle = \frac{\ln N}{\ln \ln N}$$

## BA - Clustering Coefficient

Although the demonstration is beyond the scope of this class<sup>9</sup> it can be shown that the clustering coefficient of BA graphs is:

$$C = \frac{L}{4} \frac{(\ln N)^2}{N}$$

This is 5 times more than for a random network, but still decreases with the network size, and becomes very small for large graphs. It is thus considered a **small** clustering coefficient.

<sup>9</sup>Barabási and Albert [1999](#)

## Other random graph models

Many other graph models have been proposed in the literature, either *mechanistic models* to mimic common properties of some graphs, as with BA and WS models, or *statistical models* to generate random graphs with imposed constraints, as the Configuration model does with degree distributions. Some examples of mechanistic models:

- Vertex copying model (J. M. Kleinberg et al. [1999](#))
- Tunable-clustering scale-free model (Holme and Kim [2002](#))
- Forest fire model (Leskovec, J. Kleinberg, and C. Faloutsos [2005](#))

Some examples of statistical models:

- Exponential Random Graphs (Robins et al. [2007](#))
- Stochastic Block Models (Peixoto [2019](#))
- A survey on the topic (Orbanz and Roy [2014](#))